



ZARGES

Industry Solutions

Tracy Johnson
Tracy.Johnson@ZargesUSA.com



Presentation Overview

- Introduction to ZARGES
- Standard Cases
- Case for a Better Case
- Custom Capabilities
- Battery Safety Solutions
- Specialty Cases
- Applications
- Rackmount Cases



About ZARGES

- 1933 – ZARGES founded in Stuttgart, Germany as Europe's first light alloy processing company
- 2007 – ZARGES opened the doors to a technical center in Charlotte, NC offering engineering, warehousing, case modification, and foam fabrication capabilities.
- Extensive COTS selection of aluminum transport and 19" Rack mount cases
- Certifications
 - **ATA 300 Specifications**
 - **ISO 9001 Certification**
 - **ITAR certification letter**
 - **NATO Stock Numbers for K470 and K420 ZARGES Cases**



ZARGES Cases

K470



K440



K424 XC



K420



K470 Plus



K475



K411



K473



K410



Retour



Y-Case



ZARGES K470 Shipping & Storage Case

Highest quality aluminum universal cases

- 25 standard sizes to choose from
- Many sizes suitable for luggage, some for airline carry on
- ATA 300 Category 1 certified
- Lid latches can be secured with a plug lock, lead seals, or a padlock
- Ergonomic spring handles automatically stow for safe shipping
- Several sizes IGBC-certified Grizzly Bear Resistant
- Available as IP54 or IP65
- Starting retail price: \$205
- [K470 Catalog](#)
- [Video](#)



ZARGES K420 Shipping & Storage Case

Durable rugged grade storage case

- Five standard sizes to choose from
- Many sizes suitable for luggage, some for airline carry on
- Snap fasteners include integrated locks
- Starting retail price: \$165
- [K420 Data Sheet](#)



ZARGES K424 XC Roller Case

Ultimate in security, versatility and mobility

- Six models with a capacity ranging from 1709 to 11,900 cu in., suitable for checked luggage
- Smooth mobility via integrated 2" casters
- Optional 5" wheel set or 8 2/3" off-road set available for use in difficult terrain.
- Retractable handle (SKUs 41810-41814) or second sprung drop handle on the end face (SKU 41815)
- Stacking corners made from impact-resistant plastic and integrated stacking elements in the support frame.
- Removable base insert made from abrasion-resistant PE foam
- Integrated casters and telescoping handle
- 40% lighter than comparable plastic case with similar footprint
- Full equipment package available, including liner, lid pocket and 8" off-road wheels.
- Starting retail price: \$404
- [K424 XC catalog](#)
- [Video](#)



Case Accessories



Tool pocket



Attaché insert



Set of 2
casters



External
casters



Telescopic
trolley



Extra fitting for
trolley



Lid for W170/W171



Dolly trolley



Shackle lock



Lock & key set



TSA lock



Aluminum divider set



Foam divider set



Pick 'n' pluck foam



Internal fittings A



Internal fittings B



The Case for a Better Case

Greater Volume

Smaller Footprint


Lighter Weight




	Pelican 0550 Protector	ZARGES K470 #40580	
Exterior Footprint ft ²	18.54	16.76	10% Smaller Footprint
Exterior Dimensions	51.05 x 27.54 x 22.79	46.65 x 30.91 x 20.08	
Interior Dimensions	47.57 x 24.07 x 17.68	44.1 x 28.3 x 18.9	
Interior Volume ft ³	11.72	13.65	16% More Interior Volume
Empty Weight lbs.	79.2	44.1	44% Lighter
Temperature Stability Range	-20° F to +140° F	-238° F to +302 F°	
MIL-810 Compliant	Y	Y	
ATA 300 Category 1 Compliant	N	Y	
UN Hazmat Approved	N	Y	
Fire Resistant	N	Y	
Warp or Cracks	Y	N	



ZARGES Cases Result in...




- Larger useable space allows for greater volume of goods shipped
- Greater % of shipping cost goes towards product as opposed to the case
- Aluminum results in more space and cost-effective logistics solution



UN Certification for Hazardous Materials Transport

- Available for several different ZARGES cases, including the K470, K475, K424 XC and K410.
- For each certification (testing performed at Charlotte facility for a fee of \$50)
 - Case is first verified to be an authentic ZARGES product and the correct product requested by the customer.
 - Undergoes an ultrasonic inspection to ensure that the thickness of all case walls is within tolerance for the order's specification. The measuring points are indicated in blue on the diagram.
 - Once the case passes this inspection, it is labeled and delivered to the customer with appropriate documentation.




UN-Approved for Hazardous Material Handling

- For many years, ZARGES has been producing UN-approved packaging made from aluminum.
- It is approved as composite packaging (Code UN 4B, 4BU, 4BV, 4BW, 50B).

Shipments must be issued with hazard labels corresponding to the hazard category.

→ Marking



- ① **Serial number**
- ② **UN symbol for packaging**
- ③ **Packaging type and material:**
4B = case made from aluminium
50B = large container made from aluminium (volume more than 450 litres)
- ④ **Packaging group and gross weight:**
X102 = VPGR. I, II and III, gross weight 102 kg
- ⑤ **Material type:**
S = solid material or internal packaging without hydraulic internal pressure testing
- ⑥ **Year of**
- ⑦ **Country** in which approval was granted
- ⑧ **Licensing institution:**
BAM = Federal Office for Material Research and Testing
- ⑨ **Approval number:** 8311 = approval No. 8311 issued by BAM
- ⑩ **Abbreviation of manufacturer or testing centre:**
ZARGES GmbH

→ Labelling



Mitraset: Custom 19" Rackmount Solutions

- For loads up to 220 lbs.
- Available in 52 standard sizes, custom sizes up to 22U
- Two interchangeable lids with ½ turn latches, 4 per lid. Optional lock available
- IP 65 rating due to welded casing and lid with all-round seal
- EMI / RFI shielding of 60dB from 150kHz to 18GHz, additional shielding optional
- Completely removable anti-vibration frame
- Custom layout of dampening elements according to client specifications
- UN Certification for transport of hazardous materials available
- Stackable
- Half Rack available for 9.5" electronics (standard depths, up to 10U)



NEW: Mitraset Racklite & Racklite Basic

Mitraset Racklite & Racklite Basic

- For loads up to 132 lbs.
- Standard shock isolation system. Mitigation to custom specifications available
- Protection class IP 65 through seam-welded housing and lid with peripheral seal
- Easily stackable even with varying height and depth
- Lid with spring steel latches
- Mitraset Racklite Basic
 - 4.85 lbs lighter than the Mitraset Racklite
 - No corner bumpers



Mitraset Accessories



19" Mitraset
lids



Flexible skirt
seal



Guide rails




HF shielding



Special lid



Special lid /
flap



PRV automatic



PRV manual



Floor
mounting



Moisture
monitor



Louvered
panel



Pull-out drawer



Desiccant
shelf



Cable holder



Crane adapter



Lock
installation



Pouch



Keyboard
bracket





ZARGES

Thank you.

Tracy Johnson

tracy.johnson@zargesusa.com

www.zargesusa.com